



**1200 SERIES**  
Entrance panels made of AISI 316 stainless steel  
with audio and colour video system



# 1200 SERIES

Entrance panels made of AISI 316 stainless steel with audio and colour video system



The entrance panel has a stainless steel front with two, die-cast aluminium end caps to fasten the front to the frame using a special ELVOX screw. The frame is also stainless steel. The call buttons are mounted in a clear polycarbonate, tamper-proof support, which is then attached to the front plate of the entrance panel. The clear, polycarbonate buttons are protected by a stainless steel cover, which has two slots to provide excellent backlighting. The entrance panel is compatible with ELVOX digital and analogue systems. The audio and video versions are identical externally to create a single solution for both applications.



SOUND SYSTEM



DUEFILELVOX



DIGIBUS

## Maximum **quality** in communication

Excellent materials and stylish design guarantee the 1200 series a future at the forefront of the video door entry system market.

The new AISI 316 (V4A), 8/10 thick embossed stainless steel entrance panel can be flush mounted with backbox type 9092 and 9093, or surface wall-mounted using an AISI 316 (V4A), 15/10 stainless steel mount.

**protection  
class  
IP44**



# 1200 SERIES

Entrance panels made of AISI 316 stainless steel with audio and colour video system

## Push-button version



The elements of the 1200 series can be assembled to provide entrance panels for the Two-Wire, DigiBus, Sound System and A.C. call systems.

The entrance panels are supplied with a front plate and frame, to be completed with flush or surface mounted boxes, rainproof frames, push-buttons, LEDs for illuminating name cards, speech unit, video camera or electronic unit.

The entrance panels for Two-Wire, DigiBus, Sound System and A.C. call systems are similar in appearance, the differences being determined by the components used.

The entrance panels for Sound System or A.C. call systems require the addition of a speech unit or video camera, call buttons, LEDs for illuminating the push-buttons and flush or surface wall-mounted boxes.

The entrance panels for Two-Wire or DigiBus systems require the audio or video electronic unit, possibly additional push-button modules and the flush or surface wall-mounted boxes.


All of these entrance panels can be expanded with additional push-button panels or name card panels by joining a number of flush-mounted boxes or by using the surface wall-mounted boxes with rainproof frames.

The entrance panels are also available with a gold effect treatment (colour code .../43, e.g. 1201/43)


**316 AISI**  
**stainless steel**



SOUND SYSTEM




In order to assemble an audio or video entrance panel including push-buttons, in systems with Sound System or A.C. call systems, add a speech unit or a video camera with a speech unit, name card illuminating LED art. R260 (one for every 4 push-buttons), and push-buttons art. R200 or R200/50.




In order to assemble an extension entrance panel including push-buttons, in systems with Sound System or A.C. call systems, add name card illuminating LED art. R260 (one for every 4 push-buttons), and push-buttons art. R200 or R200/50.



DUEFILIELVOX




In order to assemble an audio or video entrance panel, including push-buttons, in Two-Wire or DigiBus systems, add only a video or audio push-button electronic unit.




In order to assemble an extension entrance panel, including push-buttons, in Two-Wire or DigiBus systems, add additional push-button modules only type 12TS.



DIGIBUS



Flush wall-mounted installation.



Flush wall-mounted installation with rainproof cover.



Surface wall-mounted installation with rainproof cover.

PVD-treated

**GOLD-effect** version



# 1200 SERIES

Entrance panels made of AISI 316 stainless steel with audio and colour video system

## Alphanumeric keypad



The elements of the 1200 series can be assembled to provide entrance panels for the Two-Wire, DigiBus and Digit 2 Wires systems. The entrance panels are supplied with a front plate and frame, to be completed with flush or surface mounted boxes, rainproof frames, electronic unit and additional modules.

The entrance panels for Two-Wire, DigiBus, and Digit 2 Wires systems are similar in appearance, the differences being determined by the components used.

The entrance panels for Two-Wire, DigiBus and Digit 2 Wires systems require the addition video or audio electronic unit, possibly additional push-button modules and the flush or surface wall-mounted boxes.

All of these entrance panels can be expanded with additional push-button panels or name card panels by joining a number of flush-mounted boxes or by using the surface wall-mounted boxes with rainproof frames. The entrance panels are also available with a gold effect treatment (colour code .../43, e.g. 1201/43)

**also with**  
**rainproof cover**



Rainproof trim and surface wall-mount back box with rainproof trim, made of 15/10 gauge AISI 316 (V4A) stainless steel with embossed effect (and gold-effect PVD treatment). Rainproof trims and back boxes are available in the versions for 1, 2, 3 and 4 panels installed side by side, 2 and 3 modules high.


**ELVAX®**  
Communicating in style




DUEFILIELVOX



DIGIBUS



In order to assemble an audio or video entrance panel with a display and alphanumeric keypad, in Two-Wire, DigiBus or Digit 2 Wires systems, add a video or audio alphanumeric electronic unit only. The Digit 2 Wires system is only available for audio entrance panels.



In order to assemble an extension entrance panel with name cards, in Two-Wire, DigiBus or Digit 2 Wires systems, no additional components are required.



**Card for 15 names**

Additional plates with name cards and LED backlighting. Each card enables insertion of 15 names and is supplied as standard with an LED lighting circuit for connection to the electrical unit or system.



# 1200 SERIES

Stainless steel communication column  
with audio and colour video system



The new free-standing, floor-mounted communication post features the same materials and design as the 1200 series entrance panels. The post is compatible with ELVOX digital and analogue systems and comes with individual call buttons or an alphanumeric keypad.


The column must be used in conjunction with push-buttons, LEDs for name card lighting, speech unit, camera, electronic units and/or additional push-button modules depending on the type of system (Two Wire, Digibus, Digit 2 Wires, Sound System or AC call), as indicated for the 1200 series front plates.



**Free-standing**  
**column**




SOUND SYSTEM



In order to assemble an audio or video column including call buttons, in systems with Sound System or A.C. call systems, add a speech unit or a video camera with a speech unit, name card illuminating LED art. R260 (one for every 4 push-buttons), and push-buttons art. R200 or R200/50.



DUEFILIELVOX



The composition of an audio or video door entry push-button column for Two Wire, Digibus or Digit 2 Wires systems requires the addition of an audio or video push-button electronic unit, and in some cases an additional push-button module type 12TS.



DIGIBUS

173 cm



143 cm



**Two heights**

Columns are available in 2 different heights, 173 cm and 147 cm, complete with base for floor mounting.



# 1200 SERIES

Entrance panels made of AISI 316 stainless steel with audio and colour video system

Item

Description

## 1200 Series audio/video entrance panels

Entrance panels with 8/10 gauge 316 AISI stainless steel plate (V4A) with embossed surface finish. These panels are designed for flush mounting with back boxes type 9192 or 9193, and for surface mounting with type 1Exx. Equipped with die-cast aluminium end caps to enable fixing to the stainless steel frame by means of special ELVOX screws.  
Protection rating: IP44.  
Available with gold-effect PVD treatment (Code .../43, e.g. 1224/43).

## 1200 Series 2-module entrance panels with external button caps

2-module high audio/video plates with external keys but without push-buttons, for use with the following components:

**2-Wire** electronic units: 12F3, 12F5  
**Digibus** electronic units: 1283, 1285  
**Sound System or AC call:** speech units: 930A, 930D, 930F.  
 cameras with speech units: 559A, 559B.  
 accessories: R200, R200/50, R260, 2/994

Plate dimensions: 280x100x22 mm.



<b>1220</b>	Without push-buttons	<b>1221</b>	With 1 push-button	<b>1222</b>	With 2 push-buttons
<b>1223</b>	With 3 push-buttons	<b>1224</b>	With 4 push-buttons		

## 1200 Series supplementary 2-module entrance panels with external button caps

Supplementary 2-module height plates with external button caps but without push-buttons for use with the following components:

**2-Wire** supplementary modules: 12TS  
**Digibus** supplementary modules: 12TS  
**Sound System or AC call:** accessories: R200, R200/50, R260, 2/994

Plate dimensions: 280x100x22 mm.



<b>1251</b>	With 1 push-button	<b>1252</b>	With 2 push-buttons	<b>1253</b>	With 3 push-buttons
<b>1254</b>	With 4 push-buttons	<b>1255</b>	With 5 push-buttons	<b>1256</b>	With 6 push-buttons
<b>1257</b>	With 7 push-buttons	<b>1258</b>	With 8 push-buttons		

## 1200 Series 3-module entrance panels with external button caps

3-module high audio/video plates with external button caps but without push-buttons, for use with the following components:

**2-Wire** electronic units: 12F3+12TS, 12F5+12TS  
**Digibus** electronic units: 1283+12TS, 1285+12TS  
**Sound System or AC call:** speech units: 930A, 930D, 930F.  
 cameras with speech units: 559A, 559B.  
 accessories: R200, R200/50, R260, 2/994

Plate dimensions: 395x100x22 mm.



<b>1230</b>	Without push-buttons	<b>1231</b>	With 1 push-button	<b>1232</b>	With 2 push-buttons
<b>1233</b>	With 3 push-buttons	<b>1234</b>	With 4 push-buttons	<b>1235</b>	With 5 push-buttons
<b>1236</b>	With 6 push-buttons	<b>1237</b>	With 7 push-buttons	<b>1238</b>	With 8 push-buttons

Item

Description



**1200 Series audio/video 3-module entrance panels with external button caps and address card**

3-module high audio/video entrance panels with external button caps and address card, but without push-buttons, to be used with the following components:

- 2-Wire** electronic units: 12F3, 12F5
- Digibus** electronic units: 1283, 1285
- Sound System or AC call:** speech units: 930A, 930D, 930F.  
cameras with speech units: 559A, 559B.  
accessories: R200, R200/50, R260, 2/994

Plate dimensions: 395x100x22 mm.

- |             |                     |             |                     |             |                     |
|-------------|---------------------|-------------|---------------------|-------------|---------------------|
| <b>12N1</b> | With 1 push-button  | <b>12N2</b> | With 2 push-buttons | <b>12N3</b> | With 3 push-buttons |
| <b>12N4</b> | With 4 push-buttons |             |                     |             |                     |



**1200 Series supplementary 3-module entrance panels with external button caps**

Supplementary 3-module high plates with external button caps but without push-buttons for use with the following components:

- 2-Wire** electronic units: 12TS
- Digibus** electronic units: 12TS
- Sound System or AC call:** accessories: R200, R200/50, R260, 2/994

Plate dimensions: 395x100x22 mm.

- |             |                      |             |                      |             |                      |
|-------------|----------------------|-------------|----------------------|-------------|----------------------|
| <b>1261</b> | With 1 push-button   | <b>1262</b> | With 2 push-buttons  | <b>1263</b> | With 3 push-buttons  |
| <b>1264</b> | With 4 push-buttons  | <b>1265</b> | With 5 push-buttons  | <b>1266</b> | With 6 push-buttons  |
| <b>1267</b> | With 7 push-buttons  | <b>1268</b> | With 8 push-buttons  | <b>1269</b> | With 9 push-buttons  |
| <b>1270</b> | With 10 push-buttons | <b>1271</b> | With 11 push-buttons | <b>1272</b> | With 12 push-buttons |



**1200 Series audio/video 2-module entrance panels for electronic units with display and alphanumeric keypad**

2-module high audio/video plates for electronic unit with display and alphanumeric keypad.

- 2-Wire** electronic units: 12F4, 12F7
- Digibus** electronic units: 1282, 1286
- Sound System or AC call:** 12B2

Plate dimension: 280x100x22 mm.

- 122D** Plate for 2-Wire, Digibus and Digit 2 Wires alphanumeric units



**1200 Series supplementary 2-module entrance panels with 2 name cards 15+15 names**

Supplementary 2-modules high plates with name card holders 15+15. Equipped as standard with name card illumination  
Plate dimensions: 280x100x22 mm.

- 122N** Plate with 2 name card 15+15 names.

# 1200 SERIES

Stainless steel panel AISI 316  
for audio and colour video systems



Item

Description

## 1200 Series audio/video entrance panels for electronic units with display and alphanumeric keypad with name card for 15 names

3-module high audio/video plates for electronic units with display and alphanumeric keypad, with name card for 15 names and LED backlighting as standard.

**2-Wire** electronic units: 12F4, 12F7  
**Digibus** electronic units: 1282, 1286  
**Sound System** or **AC call**: 12B2

Plate dimensions: 395x100x22 mm.

**123D** Plate for 2-Wire, Digibus and Digit 2 Wires alphanumeric units

## 1200 Series audio/video 3-module entrance panels for electronic units with display and alphanumeric keypad with external button caps

3-modules high audio/video plates for electronic units with display and alphanumeric keypad, with external button caps but without push-buttons, for use with the following components:

**Digibus** electronic units: 1282/P+12TS, 1286/P+12TS

Plate dimensions: 395x100x22 mm.

**12D1** With 1 push-button      **12D2** With 2 push-buttons      **12D3** With 3 push-buttons      **12D4** With 4 push-buttons

## 1200 Series supplementary 3-module entrance panels with 3 name tag 15+15+15 names

Supplementary 3-modules high plates with name card holders 15+15+15. Equipped as standard with name card illumination

Plate dimensions: 395x100x22 mm

**123N** Plate with 3 name card 15+15+15 names.

## Back boxes

**9192** Flush-mounting copolymer back box for 2 vertical modules with protective cover. Supplied with brackets for fastening boxes together. Dim. 98x254x50 mm. (WidthxHeightxDepth).

**9193** Flush-mounting copolymer back box for 3 vertical modules with protective cover. Supplied with brackets for fastening boxes together. Dim. 98x365x50 mm. (WidthxHeightxDepth).

## 1200 Series bezels with rainproof cover

15/10 gauge AISI stainless steel bezels with rainproof cover (V4A) and embossed finish. To be used for recessed wall mounting using back boxes type 9192 and 9193..

**1P21** Rainproof cover for one 2-modules high plate. Dimensions: 120x296x39.5 mm (Width x Height x Depth)

**1P22** Rainproof cover for two 2-modules high plates. Dimensions: 220x296x39.5 mm (Width x Height x Depth)

**1P23** Rainproof cover for three 2-modules high plates. Dimensions: 320x296x39.5 mm (Width x Height x Depth)

**1P24** Rainproof cover for four 2-modules high plates. Dimensions: 420x296x39.5 mm (Width x Height x Depth)

**1P31** Rainproof cover for one 3-modules high plate. Dimensions: 120x410x39.5 mm (Width x Height x Depth)

**1P32** Rainproof cover for two 3-modules high plates. Dimensions: 220x410x39.5 mm (Width x Height x Depth)

**1P33** Rainproof cover for three 3-modules high plates. Dimensions: 320x410x39.5 mm (Width x Height x Depth)

**1P34** Rainproof cover for four 3-modules high plates. Dimensions: 420x410x39.5 mm (Width x Height x Depth)

Item

Description



### 1200 Series surface wall-mounted back boxes with rainproof cover

15/10 gauge AISI stainless steel boxes with rainproof cover (V4A) and embossed surface finish.

- 1E21** Back box with rainproof cover for one 2-modules high plate. Dimensions: 120x296x74 mm (Width x Height x Depth)
- 1E22** Back box with rainproof cover for two 2-modules high plates. Dimensions: 220x296x74mm (Width x Height x Depth)
- 1E23** Back box with rainproof cover for three 2-modules high plates. Dimensions: 320x296x74 mm (Width x Height x Depth)
- 1E24** Back box with rainproof cover for four 2-modules high plates. Dimensions: 420x296x74 mm (Width x Height x Depth)
- 1E31** Back box with rainproof cover for one 3-modules high plate. Dimensions: 120x410x74 mm (Width x Height x Depth)
- 1E32** Back box with rainproof cover for two 3-modules high plates. Dimensions: 220x410x74 mm (Width x Height x Depth)
- 1E33** Back box with rainproof cover for three 3-modules high plates. Dimensions: 320x410x74 mm (Width x Height x Depth)
- 1E34** Back box with rainproof cover for four 3-modules high plates. Dimensions: 420x410x74 mm (Width x Height x Depth)

### 1200 Series audio/video columns

Audio/video column with base, external button caps but no pushbuttons, to be used with the following components:

- 2-Wire** electronic units: 12F3, 12F3+12TS, 12F5, 12F5+12TS
- Digibus** electronic units: 1283, 1283+12TS, 1285, 1285+12TS
- Sound System** or **AC call**: speech units: 930A, 930D, 930F.  
cameras with speech units: 559A, 559B.  
accessories: R200, R200/50, R260, 2/994

**173 cm high version.** Column dimensions (HxWxD): 1715x145x85 mm.  
Column dimensions with base (HxWxD): 1725x195x200 mm

- |             |                     |             |                     |             |                     |             |                     |
|-------------|---------------------|-------------|---------------------|-------------|---------------------|-------------|---------------------|
| <b>12C1</b> | With 1 push-button  | <b>12C2</b> | With 2 push-buttons | <b>12C3</b> | With 3 push-buttons | <b>12C4</b> | With 4 push-buttons |
| <b>12C5</b> | With 5 push-buttons | <b>12C6</b> | With 6 push-buttons | <b>12C7</b> | With 7 push-buttons | <b>12C8</b> | With 8 push-buttons |

**147 cm high version.** Column dimensions (HxWxD): 1461,5x145x85 mm.  
Column dimensions with base (HxWxD): 1471,5x195x200 mm.

- |               |                     |               |                     |               |                     |               |                     |
|---------------|---------------------|---------------|---------------------|---------------|---------------------|---------------|---------------------|
| <b>12C1/B</b> | With 1 push-button  | <b>12C2/B</b> | With 2 push-buttons | <b>12C3/B</b> | With 3 push-buttons | <b>12C4/B</b> | With 4 push-buttons |
| <b>12C5/B</b> | With 5 push-buttons | <b>12C6/B</b> | With 6 push-buttons | <b>12C7/B</b> | With 7 push-buttons | <b>12C8/B</b> | With 8 push-buttons |

### 1200 Series audio/video columns for electronic units with display and alphanumeric keypad

Audio/video columns for electronic units with display and alphanumeric keypad, with base, name card for 15 names and LED back lighting.

- 2-Wire** electronic units: 12F4, 12F7
- Digibus** electronic units: 1282, 1286
- Digit 2 Wires**: 12B2

**173 cm high version.** Column dimensions (HxWxD): 1715x145x85 mm.  
Column dimensions with base (HxWxD): 1725x195x200 mm

- 12CD** Column for 2-Wire, Digibus and Digit 2 Wires alphanumeric units  
Equipped as standard with name card illumination

**147 cm high version.** Column dimensions (HxWxD): 1461,5x145x85 mm.  
Column dimensions with base (HxWxD): 1471,5x195x200 mm.

- 12CD/B** Column for 2-Wire, Digibus and Digit 2 Wires alphanumeric units  
Equipped as standard with name card illumination



# 1200 SERIES

Entrance panels made of AISI 316 stainless steel with audio and colour video system

Video door entry and home automation **kits**



Item

Description

## 6600 series Two-Wire video door entry kit with 1200 panel

**6621/Ki1**

6600 series colour video door entry kit comprising: 1 1200 series stainless steel flush-mounting entrance panel with 1 call button (type 1221 + 9192), 1 electronic push-button unit with colour video camera and speech unit (type 12F5), 1 6600 series flush-mount monitor with 3,5" TFT LCD colour screen and back box (Art. 6621 + 6149), n. 1 power supply unit type 6922.



Item

Description

**7200 series Two-Wire video door entry kit with 1200 panel**

**7211/Ki1**

7200 series colour video door entry kit comprising: 1 1200 series stainless steel flush-mounting entrance panel with 1 call button (type 1221 + 9192), 1 electronic push-button unit with colour video camera and speech unit (type 12F5), 1 7200 series flush-mount monitor with 7" TFT LCD colour screen, 16:9 widescreen aspect ratio (type 7211 + 7249) 1 power supply unit type 6922.



**6800 series Two-Wire video door entry kit with 1200 panel**

**6801/Ki1**

6800 series colour video door entry kit comprising: 1 1200 series stainless steel flush-mounting entrance panel with 1 call button (type 1221 + 9192), 1 electronic push-button unit with colour video camera and speech unit (type 12F5), 1 6800 series flush-mount monitor with 3.5" TFT LCD colour screen, Two-Wire video door entry module, ivory cover and back box (type 68MV + 68M1 + 6149), 1 power supply unit type 6922.



**Home automation kit with 6800 series Two-Wire video door entry system and 1200 panel**

**68DO/Ki1**

6800 series colour video door entry kit comprising: 1 1200 series stainless steel flush-mounting entrance panel with 1 call button (type 1221 + 9192), 1 electronic push-button unit with colour video camera and speech unit (type 12F5), 1 6800 series flush-mount monitor with 3.5" TFT LCD colour screen, Two-Wire video door entry module, home automation control module, ivory cover and back box (Art. 68MV + 68M1 + A960 + 6149), n. 1 power supply unit type 6922., n. 1 power supply for home automation network type. A801.





VIDEO DOOR ENTRY SYSTEMS



C.C.T.V.



AUTOMATIC GATE SYSTEMS



TELEPHONE SYSTEMS



HOME AUTOMATION

# ELVOX®

Communicating in style

Elvox reserves the right to modify technical construction characteristics without prior notice, in order to improve production. STUDIOVERDE - DEP. PUB. EB9 - RL02 - 9/2010

## IN ITALY

### Padua

Via A. Ferrero, 9  
35133 Padua

### Milan

Via Conti Biglia, 2  
20162 Milan

### Turin

Strada del Drosso, 33/8  
10135 Turin

## INTERNATIONAL

### ELVOX Austria GmbH

Grabenweg 67  
A-6020 Innsbruck

### ELVOX Shanghai Electronics Co. Ltd

3. Floor No. 2 Building No. 1898 Lai Yin Road  
Hi-Tech Park SongJiang, Jiu Ting District  
Shanghai 201615

## ELVOX SPA - HEADQUARTERS

Via Pontarola, 14/a - 35011 Campodarsego (PD)  
Tel +39 049 9202511 - Fax +39 049 9202603 - info@elvoxonline.it  
Telefax Export Dept. ..39/049 9202601 - elvoxexp@elvoxonline.it

[www.elvox.com](http://www.elvox.com)

