




Look! 6600
open voice monitor.

EDVAX[®]
Communicating in style



Advanced technology, contemporary design, simple installation, optimum reliability. The 6600 open voice monitor features a tilting display with a 4" colour LCD screen. Encapsulating the high quality integral to all Elvox products, an international leader for over fifty years in audio and video door entry systems. Elvox 6600, to see with and be seen with.



6600 open voice monitor - cutting edge design.



High profile, slim design.

A high profile furnishing feature, an advanced technological solution with a minimal thickness of only 1 centimetre. The 6600 series wall-mounted open voice monitor offers perfect aesthetics to enhance any living space.







Evolution at a glance.

Desktop 6600 series open voice monitor; eye-catching elegance and simple, functional beauty. A highly attractive design, thanks to the care taken by Elvox designers to incorporate the latest trends in their products.



An Elegant New Model.

A new version of the 6600 series open voice monitor, wall-mounted. With a thickness of 4 centimetres, the monitor is easily fitted into any home, thanks to the wall-mounting bracket with quick connector.





Perfect by definition.

4" LCD colour display (PAL standard) for perfect and sharp image definition : with the 6600 series the world of video door entry systems crosses new frontiers, combining extremely high quality images with the open voice system.

From the front, from below, from above.

The screen of the 6600 open voice monitor can be tilted vertically on non-internal intercommunicating models, to offer a perfect view from any height.



LCD 4" screen in real size



Tilting monitor





Just Naturally Better!

The 6600 series monitors are equipped with easy-to-read controls with clear, comprehensible symbols associated with each pushbutton: door lock release, self-start, auxiliary services, conversation, internal volume adjustment, ringtone volume adjustment, ringtone selection, ringtone mute, brightness control. High performance and easy to use.



The open voice monitor is also available as an intercommunicating version for Elvox 2-wire systems, to enable freedom of communication inside the home or within the apartment block. With a 3.5" fixed colour LCD screen, 6 programmable keys for intercommunicating calls, 8 keys for door lock release, self-start, auxiliary services, conversation, internal volume control, ringtone volume control and mute, selection of 3 different ringtones, brightness control and removable terminal block. Intercommunicating open voice monitor, available as flush-mounted type 6611, desktop type 661C and wall-mounted type 6711.



Freedom of communication.



High tech, inside and out.

A high tech core has been stylishly combined with high tech finishes, in ultra modern tones to blend perfectly into sophisticated and elegant surroundings.



White
cod. 660x/ - cod. 670x/



Titanium grey
cod. 660x/37 - cod. 670x/37



Anthracite grey
cod. 660x/21 - cod. 670x/21



Brushed aluminium
cod. 660x/40 - cod. 670x/40



White
cod. 661x/ - cod. 671x/



Titanium grey
cod. 661x/37 - cod. 671x/37





Anthracite grey
cod. 661x/21 - cod. 671x/21



Brushed aluminium
cod. 661x/40 - cod. 671x/40

Two-channel open voice monitor in thermoplastic with 4" tilting or 3,5" fixed (for intercommunicating versions) colour LCD screen and loudspeaker for electronic call. Equipped with 8 keys for: door lock release, self-start, auxiliary services (stair light), conversation, internal voice line volume control, ringtone volume control and mute, selection of 3 different ringtones, brightness control and removable terminal block. The monitor is used with power supply type 6680 for Sound System installations, with power supply type 6922 for 2-wire systems, or power supply type 6948 for DigiBus systems.



660A, 660B, 660C, 661C



Desktop monitors with LCD 4" or 3,5" colour screen, complete with 2 metres of cable with socket and removable plug.

Dimensions: 141x125x125 mm.

Simple and quick installation.

The 6600 series consists of two channel open voice monitors for systems with coaxial cable, for Sound System call or AC call, for electronic DigiBus systems and the new Elvox 2-wire system. All models include lock open pushbutton, audio pushbutton, two pushbuttons for auxiliary functions and two luminous indicators for ringtone mute and door open signals.

The monitor has also been designed to standardise installation, with a 4+4 standard Din module backbox for flush-mounting, a bracket for wall-mounting and a socket and removable plug for desktop models.



6700, 6701, 6707, 6711

Wall-mounted monitor with LCD 4" or 3.5" colour screen, complete with wall-mounting bracket for quick connector.
Dimensions: 141x139x40 mm.

6600, 6601, 6607, 6611

Flush-mounted video interphone with 4" or 3.5" LCD colour screen. For installation, requires flush-mounted back box Type 6149 or kit R660 for plasterboard walls.
Dimensions: 141x139x10 mm + 45 mm (for flush-mounting).

6149 Square backbox (8P) for monitor series 6600 for flush-mounting.
Dimensions: 136x136x59 mm.



Type	Version	Installation	Colour
6600	Sound System with 4" LCD (tilting)	Flush-mounted	White
6600/21	Sound System with 4" LCD (tilting)	Flush-mounted	Anthracite grey
6600/37	Sound System with 4" LCD (tilting)	Flush-mounted	Titanium grey
6600/40	Sound System with 4" LCD (tilting)	Flush-mounted	Brushed aluminium
6601	2-wire with 4" LCD (tilting)	Flush-mounted	White
6601/21	2-wire with 4" LCD (tilting)	Flush-mounted	Anthracite grey
6601/37	2-wire with 4" LCD (tilting)	Flush-mounted	Titanium grey
6601/40	2-wire with 4" LCD (tilting)	Flush-mounted	Brushed aluminium
6607	Digi Bus with 4" LCD (tilting)	Flush-mounted	White
6607/21	Digi Bus with 4" LCD (tilting)	Flush-mounted	Anthracite grey
6607/37	Digi Bus with 4" LCD (tilting)	Flush-mounted	Titanium grey
6607/40	Digi Bus with 4" LCD (tilting)	Flush-mounted	Brushed aluminium
660A	Sound System with 4" LCD (tilting)	desktop	White
660A/21	Sound System with 4" LCD (tilting)	desktop	Anthracite grey
660A/37	Sound System with 4" LCD (tilting)	desktop	Titanium grey
660A/40	Sound System with 4" LCD (tilting)	desktop	Brushed aluminium
660B	Digi Bus with 4" LCD (tilting)	desktop	White
660B/21	Digi Bus with 4" LCD (tilting)	desktop	Anthracite grey
660B/37	Digi Bus with 4" LCD (tilting)	desktop	Titanium grey
660B/40	Digi Bus with 4" LCD (tilting)	desktop	Brushed aluminium
660C	2-wire with 4" LCD (tilting)	desktop	White
660C/21	2-wire with 4" LCD (tilting)	desktop	Anthracite grey
660C/37	2-wire with 4" LCD (tilting)	desktop	Titanium grey
660C/40	2-wire with 4" LCD (tilting)	desktop	Brushed aluminium

Type	Version	Installation	Colour
6611	Intercommunicating 2-wire with 3.5" LCD	Flush-mounted	White
6611/21	Intercommunicating 2-wire with 3.5" LCD	Flush-mounted	Anthracite grey
6611/37	Intercommunicating 2-wire with 3.5" LCD	Flush-mounted	Titanium grey
6611/40	Intercommunicating 2-wire with 3.5" LCD	Flush-mounted	Brushed aluminium
661C	Intercommunicating 2-wire with 3.5" LCD	desktop	White
661C/21	Intercommunicating 2-wire with 3.5" LCD	desktop	Anthracite grey
661C/37	Intercommunicating 2-wire with 3.5" LCD	desktop	Titanium grey
661C/40	Intercommunicating 2-wire with 3.5" LCD	desktop	Brushed aluminium
6700	Sound System with 4" LCD (tilting)	Wall-mounted	White
6700/21	Sound System with 4" LCD (tilting)	Wall-mounted	Anthracite grey
6700/37	Sound System with 4" LCD (tilting)	Wall-mounted	Titanium grey
6700/40	Sound System with 4" LCD (tilting)	Wall-mounted	Brushed aluminium
6701	2-wire with 4" LCD (tilting)	Wall-mounted	White
6701/21	2-wire with 4" LCD (tilting)	Wall-mounted	Anthracite grey
6701/37	2-wire with 4" LCD (tilting)	Wall-mounted	Titanium grey
6701/40	2-wire with 4" LCD (tilting)	Wall-mounted	Brushed aluminium
6707	Digi Bus with 4" LCD (tilting)	Wall-mounted	White
6707/21	Digi Bus with 4" LCD (tilting)	Wall-mounted	Anthracite grey
6707/37	Digi Bus with 4" LCD (tilting)	Wall-mounted	Titanium grey
6707/40	Digi Bus with 4" LCD (tilting)	Wall-mounted	Brushed aluminium
6711	Intercommunicating 2-wire with 3.5" LCD	Wall-mounted	White
6711/21	Intercommunicating 2-wire with 3.5" LCD	Wall-mounted	Anthracite grey
6711/37	Intercommunicating 2-wire with 3.5" LCD	Wall-mounted	Titanium grey
6711/40	Intercommunicating 2-wire with 3.5" LCD	Wall-mounted	Brushed aluminium

HEAD OFFICE

35011 CAMPODARSEGO (PD) - ITALY
Via Pontarola, 14/A
Tel. +39/049 9202511
Telefax Export Dept. +39/049 9202601

ELVOX INTERNET SERVICE

www.elvox.com
e-mail export dept: elvoexp@elvoxonline.it

ELVOX[®]
Communicating in style

○ VIDEO DOOR ENTRY SYSTEMS

● AUTOMATIC GATE SYSTEMS

● TELEPHONE SYSTEMS

● C.C.T.V.